

09/10/26

Recipient:

Request information:

Customer:

Product: IMPORT CUROIL MOGAS

Shipment:

Sample ID: 20261008-062
Description: DISCHARGE SAMPLE OF VESSEL PACIFIC MONTANA
Sample Date: 08/10/26 17:46
Product: 32988 IMPORT CUROIL MOGAS 95RON/85MON

Parameters	Unit	Method	Uncert.	Result
SPECIFIC GRAVITY 60/60°F		ASTM D 4052		0.7209
API GRAVITY AT 60°F		ASTM D 4052		64.8
DENSITY AT 15°C	kg/m3	ASTM D 4052		720.7
APPEARANCE				Pass
ODOUR				Marketable
VAPOUR PRESSURE (DVPE)	psi	ASTM D 5191		8.18
INITIAL BOILING POINT	°C	ASTM D 86		35.6
10% RECOVERED AT	°C	ASTM D 86		54.8
50% RECOVERED AT	°C	ASTM D 86		85.0
90% RECOVERED AT	°C	ASTM D 86		141.7
EVAPORATED TO 70°C	%v	ASTM D 86		34.1
FINAL BOILING POINT	°C	ASTM D 86		185.5
RESIDUE	%v	ASTM D 86		1.0
DOCTOR TEST		ASTM D 4952		Positive <<
COPPER STRIP 3 HR/50°C		ASTM D 130		1A
MERCAPTAN SULPHUR	%m	ASTM D 3227		0.0011
OLEFINS	%v	ASTM D 1319		6.5
AROMATIC	%v	ASTM D 1319		8.3
OLEFINS AND AROMATICS	%v	ASTM D 1319		14.8
WATER CONTENT	mg/Kg	ASTM D 6304		203
F-1 RESEARCH METHOD	ON	ASTM D 2699		95.5
F-2 MOTOR METHOD	ON	ASTM D 2700		87.3
ANTIKNOCK INDEX (R+M/2)	ON			91.4
EXISTENT GUM	mg/100mL	ASTM D 381		0.5
INDUCTION PERIOD	min	ASTM D 525		>360
SULPHUR	mg/Kg	ASTM D 5453		27
LEAD	mg/L	ASTM D 3237		<0.02