

03/06/26

Recipient:

Request information:

Customer:

Product: IMPORT CUROIL MOGAS

Shipment:

Sample ID: 20260529-064
Description: TANK 0674 AVERAGE
Sample Date: 29/05/26 19:00
Product: 32988 IMPORT CUROIL MOGAS 95RON/85MON

Parameters	Unit	Method	Uncert.	Result
SPECIFIC GRAVITY 60/60°F		ASTM D 1298		0.7439
API GRAVITY AT 60°F		ASTM D 1298		58.7
DENSITY AT 15°C	kg/m3	ASTM D 1298		743.6
APPEARANCE				Pass
ODOUR				Marketable
VAPOUR PRESSURE (DVPE)	psi	ASTM D 5191		7.83
INITIAL BOILING POINT	°C	ASTM D 86		35.8
10% RECOVERED AT	°C	ASTM D 86		54.8
50% RECOVERED AT	°C	ASTM D 86		88.9
90% RECOVERED AT	°C	ASTM D 86		142.8
EVAPORATED TO 70°C	%v	ASTM D 86		32.5
FINAL BOILING POINT	°C	ASTM D 86		174.6
RESIDUE	%v	ASTM D 86		1.0
DOCTOR TEST		ASTM D 4952		Negative
COPPER STRIP 3 HR/50°C		ASTM D 130		1A
MERCAPTAN SULPHUR	%m	ASTM D 3227		0.0002
OLEFINS	%v	ASTM D 1319		4.1
AROMATIC	%v	ASTM D 1319		25.6
OLEFINS AND AROMATICS	%v	ASTM D 1319		29.7
WATER CONTENT	mg/Kg	ASTM D 6304		461
F-1 RESEARCH METHOD	ON	ASTM D 2699		95.5
F-2 MOTOR METHOD	ON	ASTM D 2700		86.0
ANTIKNOCK INDEX (R+M/2)	ON			90.8
EXISTENT GUM	mg/100mL	ASTM D 381		1.0
INDUCTION PERIOD	min	ASTM D 525		>360
SULPHUR	mg/Kg	ASTM D 5453		11
PHOSPHORUS	mg/L			<0.2
LEAD	mg/L	ASTM D 3237		<0.02

Sample ID: 20260529-065
Description:
Sample Date: 29/05/26 19:00
Product: 32988 IMPORT CUROIL MOGAS 95RON/85MON

Parameters	Unit	Method	Uncert.	Result
------------	------	--------	---------	--------

03/06/26

Parameters	Unit	Method	Uncert.	Result
SPECIFIC GRAVITY 60/60°F		ASTM D 4052		0.7439
API GRAVITY AT 60°F		ASTM D 4052		58.7
DENSITY AT 15°C	kg/m3	ASTM D 4052		743.6
VAPOUR PRESSURE (DVPE)	psi	ASTM D 5191		7.83

Sample ID: 20260529-066**Description:****Sample Date:** 29/05/26 19:00**Product:** 32988 IMPORT CUROIL MOGAS 95RON/85MON

Parameters	Unit	Method	Uncert.	Result
SPECIFIC GRAVITY 60/60°F		ASTM D 4052		0.7439
API GRAVITY AT 60°F		ASTM D 4052		58.7
DENSITY AT 15°C	kg/m3	ASTM D 4052		743.6
VAPOUR PRESSURE (DVPE)	psi	ASTM D 5191		7.83

Sample ID: 20260529-067**Description:****Sample Date:** 29/05/26 19:00**Product:** 32988 IMPORT CUROIL MOGAS 95RON/85MON

Parameters	Unit	Method	Uncert.	Result
SPECIFIC GRAVITY 60/60°F		ASTM D 4052		0.7439
API GRAVITY AT 60°F		ASTM D 4052		58.7
DENSITY AT 15°C	kg/m3	ASTM D 4052		743.6
VAPOUR PRESSURE (DVPE)	psi	ASTM D 5191		7.81