

15/10/26

Recipient:

Request information:

Customer:

Product: IMPORT CUROIL MOGAS

Shipment:

Sample ID: 20261011-049
Description: TK 0670 AFTER DISCHARGE "PACIFIC MONTANA"
Sample Date: 11/10/26 11:15
Product: 32988 IMPORT CUROIL MOGAS 95RON/85MON

Parameters	Unit	Method	Uncert.	Result
SPECIFIC GRAVITY 60/60°F		ASTM D 4052		0.7259
API GRAVITY AT 60°F		ASTM D 4052		63.4
DENSITY AT 15°C	kg/m3	ASTM D 4052		725.7
APPEARANCE				Pass
ODOUR				Marketable
VAPOUR PRESSURE (DVPE)	psi	ASTM D 5191		8.48
INITIAL BOILING POINT	°C	ASTM D 86		34.4
10% RECOVERED AT	°C	ASTM D 86		53.5
50% RECOVERED AT	°C	ASTM D 86		85.7
90% RECOVERED AT	°C	ASTM D 86		145.1
EVAPORATED TO 70°C	%v	ASTM D 86		34.1
FINAL BOILING POINT	°C	ASTM D 86		182.6
RESIDUE	%v	ASTM D 86		1.0
DOCTOR TEST		ASTM D 4952		Positive <<
COPPER STRIP 3 HR/50°C		ASTM D 130		1A
MERCAPTAN SULPHUR	%m	ASTM D 3227		0.0011
OLEFINS	%v	ASTM D 1319		5.7
AROMATIC	%v	ASTM D 1319		12.3
OLEFINS AND AROMATICS	%v	ASTM D 1319		18
WATER CONTENT	mg/Kg	ASTM D 6304		250
F-1 RESEARCH METHOD	ON	ASTM D 2699		95.8
F-2 MOTOR METHOD	ON	ASTM D 2700		86.8
ANTIKNOCK INDEX (R+M/2)	ON			91.3
EXISTENT GUM	mg/100mL	ASTM D 381		0.5
INDUCTION PERIOD	min	ASTM D 525		>360
SULPHUR	mg/Kg	ASTM D 5453		26
PHOSPHORUS	mg/L			<0.2
LEAD	mg/L	ASTM D 3237		<0.02

Sample ID: 20261011-050
Description:
Sample Date: 11/10/26 11:15
Product: 32988 IMPORT CUROIL MOGAS 95RON/85MON

Parameters	Unit	Method	Uncert.	Result
------------	------	--------	---------	--------

15/10/26

Parameters	Unit	Method	Uncert.	Result
SPECIFIC GRAVITY 60/60°F		ASTM D 4052		0.7259
API GRAVITY AT 60°F		ASTM D 4052		63.4
DENSITY AT 15°C	kg/m3	ASTM D 4052		725.7
VAPOUR PRESSURE (DVPE)	psi	ASTM D 5191		8.41

Sample ID: 20261011-051

Description:

Sample Date: 11/10/26 11:15

Product: 32988 IMPORT CUROIL MOGAS 95RON/85MON

Parameters	Unit	Method	Uncert.	Result
SPECIFIC GRAVITY 60/60°F		ASTM D 4052		0.7259
API GRAVITY AT 60°F		ASTM D 4052		63.4
DENSITY AT 15°C	kg/m3	ASTM D 4052		725.7
VAPOUR PRESSURE (DVPE)	psi	ASTM D 5191		8.48

Sample ID: 20261011-052

Description:

Sample Date: 11/10/26 11:15

Product: 32988 IMPORT CUROIL MOGAS 95RON/85MON

Parameters	Unit	Method	Uncert.	Result
SPECIFIC GRAVITY 60/60°F		ASTM D 4052		0.7259
API GRAVITY AT 60°F		ASTM D 4052		63.4
DENSITY AT 15°C	kg/m3	ASTM D 4052		725.7
VAPOUR PRESSURE (DVPE)	psi	ASTM D 5191		8.52