

Curacao Oil N. V. (Curoil)  
Excon Martina  
A.M Chumanceiro Blvd.15,  
P.O. Box 3927  
Willemstad  
Netherlands Antilles

Our Reference Number: NA100-0007841  
Lab Reference Number: 2024-CURA-000034  
Customer Reference Number: Castor

**Comment** Preliminary Report of Analysis

<b>Customer Product Description:</b> ULSD	<b>Sample ID:</b> 2024-CURA-000034-003
<b>Location:</b> Prins Hendrik Wharf, Curacao, , Netherlands Antilles	<b>Date Sampled:</b> 07-Mar-2024
<b>Sample Representing:</b> Shore Tank 06 U,M,L, Average After Discharge	<b>Date Submitted:</b> 07-Mar-2024
<b>Drawn By:</b> Intertek	<b>Date Tested:</b> 11-Mar-2024

Method	Property	Result	Units	Min	Max	P/F
ASTM D445	Kinematic Viscosity at 40 °C	2.123	mm²/s	2.0	4.1	Pass
ASTM D4052	API Gravity @ 60°F	40.3	°API	32.0		Pass
	Density @ 15°C	832.3	kg/m³	820	845	Pass
	Specific Gravity @ 60°F	0.8237				
ASTM D976	Cetane Index	47.3		46.0		Pass
ASTM D5453	Sulfur Content	<15	ppm Wt		15	Pass
ASTM D93	Corrected Flash Point	62.0	°C	60.0		Pass
ASTM D664	Acid Number	0.05	mg KOH/g		0.50	Pass
ASTM D4530	Micro Method Carbon Residue 10%	<0.1	Wt %		0.3	Pass
ASTM D2500	Cloud Point	-16	°C			
ASTM D4176 MOD	Appearance	Clear & Bright		Clear and Bright		Pass
ASTM D482	Ash	<0.010	Wt %		0.010	Pass
ASTM D86	Initial Boiling Point	168.0	°C			
	10% Recovery	192.0	°C			
	50% Recovery	232.0	°C		288.0	Pass
	90% Recovery	316.0	°C	282.0	338.0	Pass
	Final Boiling Point	344.0	°C			
	Residue	1.5	% Vol		2.0	Pass
	Loss	0.5	% Vol		2.0	Pass
ASTM D1500	ASTM Color	<1		<= 2.5		Pass
ASTM D95	Water Content	<0.1	% (V/V)			

Material conforms to the Curoil ULSD requirements on above relevant point(s) of testing

## Report of Analysis

Our Reference Number: NA100-0007841

Lab Reference Number: 2024-CURA-000034

Customer Reference Number: Castor

The issuance of this document does not exonerate any party from exercising all their rights and discharging all their liabilities under any contract of Sale. Stipulations to the contrary are not binding upon Intertek Oil, Chemical & Agri. Intertek Oil, Chemical & Agri responsibility is limited to gross negligence proven, and will in no case be more than ten times any fees or commission. All activities are undertaken on the basis of the applicable Intertek Oil, Chemical & Agri Terms and Conditions of Service. Nor should attempt to use or rely upon the contents of this document without having read and understood the Terms and Conditions applicable thereto. A copy can be obtained at <http://www.intertek.com/terms>.

This report has been reviewed for accuracy, completeness, and comparison against specifications when available. The reported results are only representative of the samples submitted for testing and are subject to confirmation upon completion of the final report, which may contain warnings, exceptions and terms and conditions which are pertinent to the data supplied herein. It is the position of Intertek that the final report is the prevailing document, and that the use of interim documents by the client is at their own risk. This report shall not be reproduced except in full without written approval of the laboratory.

Results are only representative of the sample tested. All tests have been performed using the latest version unless otherwise indicated. This report shall not be reproduced except in full without written approval of Intertek. Report is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms>



Signed By: \_\_\_\_\_  
Glenn Gustina, Branch Coordinator

Date: 11-Mar-2024  
\_\_\_\_\_